

POLANIK  
Poland, Życzliwa 11  
97-300 Piotrków Trybunalski


tel. +48 44 646 44 81  
tel. +48 44 648 50 89  
fax +48 44 646 43 58

e-mail: [info@polanik.com](mailto:info@polanik.com)  
[www.polanik.com](http://www.polanik.com)



## **TECHNICAL SPECIFICATION** **INSTRUCTION MANUAL**

### **Vaulting pole /crossbar cart PC-S0438**



File: 2014-06-30

PRODUCT SUPPORT  
Paweł Ciechanowski  
[p.ciechanowski@polanik.com](mailto:p.ciechanowski@polanik.com)

Thank you for choosing Polanik vaulting pole cart.

## Contents

Chapter	Page
I. General description and use	2
II. Technical specification	3
III. Parts list	3
IV. Assembly	4
V. Operation and maintenance	4
VI. Packing and transport	4
VII. Product images	5
VIII. Declaration	7

### I. General description and use


The cart is used to transport and store vaulting poles/crossbars. It is equipped with 6 wide shelves, castoring wheels for easy maneuvering and shaft for towing. The product is easy to assemble, transport and store.



## II. Technical specification

<b>Code</b>	<b>PC-S0438</b>
<b>Type</b>	vaulting pole/crossbar cart
<b>Number of parts</b>	7
<b>Number of shelves</b>	6
<b>Wheels</b>	full rubber, castoring at front
<b>Supporting construction</b>	steel, galvanized and powder painted
<b>Shaft</b>	steel, galvanized
<b>Dimensions [mm]</b>	L 3150 (+1700 shaft) x B 1000 x H 1550
<b>Weight [kg]</b>	~71





## III. Parts/sets list



Item	Description
1	Front segment with shelves
2	Rear segment with shelves
3	Bottom crossbar part a)
4	Bottom crossbar part b)
5	Top crossbar part a)
6	Top crossbar part b)
7	Shaft

#### IV. Assembly

The cart is delivered in parts. It should be assembled before use.

<p>A. Assemble horizontal elements: top crossbar and bottom crossbar, so slide item 3 into item 4 and then item 5 into item 6. Secure them with included screws.</p>		
<p>B. Front segment with shelves (item 1) should be fastened to assembled top and bottom crossbars, and rear segment with shelves (item 2) should be screwed to assembled top and bottom crossbars.</p>		
<p>C. Install shaft (item 7) with included screw in front segment with shelves (item 1).</p>		
<p>D. The cart is ready for use.</p>		


#### V. Operating and maintenance

The cart should be stored in a roofed place after every training and competition. Clean using a moist cloth with addition of a delicate detergent. If the protective coating damages, use anticorrosive paint.

#### VI. Packing and transport

The product is packed in foil and sent on a pallet.

## VII. Product images





PC-S0438 © 2014 Polanik

Even the best technical solutions cannot substitute for common sense. The usage of the product must take place under the supervision of sports facility technical staff. The producer shall not be liable for any incidents caused by the improper assembly or misuse of the product. We reserve the right to alter without prior notice the construction and colours of the product.

## VIII. Declaration

1) No. 2014-06-30

2) Issuer's name: POLANIK

Issuer's address: Życzliwa 11, 97-300 Piotrkow Tryb.

3) Object of declaration:

No.	Description of goods	Code
1	Vaulting pole/crossbar cart	PC-S0438

4) The object of declaration described above is in conformity with the requirements of the in-house technical norms.

### Additional Information

5) Declaration for:

Buyer/Distributor/User

Signed for and in behalf of:

POLANIK

2014-06-30 Piotrków Tryb.  
(Date and place of issue)

6) Pawel Ciechanowski  
Product Manager

(Name, function)



(Signature or equivalent authorized by the issuer)