

TECHNICAL SPECIFICATION IdentiLynx Camera IDL



*tripod and head available separately

File: 2016-06-16 TECHNICAL SUPPORT Paweł Ciechanowski p.ciechanowski@polanik.com tel. +48 44 648 50 89 fax +48 44 646 43 58



I. General description and use

IdentiLynx camera is an additional element of the photo finish system in athletics, which help to identify players emerging at the finish line.




II. Technical specification

Code	IDL
Name	IdentiLynx camera
Max resolution	1280x720
Resolution options	352x240/720x480/1280x720
Max frames per second (fps)	30
Shutter	Auto/Programmable/Constant
File quality JPEG	Adjustable
Registration	Auto
Lens	5-50 mm f/1,3 Zoom manual
Power	12V DC or by Ethernet 802.3af
Sizes [mm] without lens	62,6 x 77 x 49,4
Weight [kg] without lens	0,139




III. Use

The camera is placed behind the finish line (see picture below).



IdentiLynx camera set the finish line allows to identify the players.



POLANIK Poland, Życzliwa 11 97-300 Piotrków Trybunalski tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



IV. Declaration

1) No. 2016-06-16

2) Issuer's name: POLANIK

Issuer's address: Życzliwa 11, 97-300 Piotrków Tryb.

3) Objects of declaration

No.	Name	Code
1	IdentiLynx camera	IDL

Technical specification described above is in accordance with the factory's internal engineering standards.

Additional Information

Buyer/Distributor/User

Signed for and in behalf for:

POLANIK

5) Declaration for:

2016-06-16 Piotrków Tryb. (Date and place of issue)

Paweł Ciechanowski Product Manager 6)

(Name, function)

(Signature or equivalent authorized by the issuer)